Author Index Vol. 670

Akiyama, T., see Yamazaki, T. 670(1995)328
Amatdjais-Groenen, H., see Vree, T.B. 670(1995)111
Andersson, K., see Luo, J.-L. 670(1995)29
Baars, A.M., see Vree, T.B. 670(1995)111
Beecher, G.R., see Khachik, F. 670(1995)219
Blanchard, J., see Surendran, N. 670(1995)235
Bökens, H., see Hammes, W. 670(1995)81
Bonnemain, B., see Bourrinet, P. 670(1995)369
Bourrinet, P., Feldman, H., Dencausse, A., Chambon, C. and Bonnemain, B.
High-performance liquid chromatographic determination of iobitridol in plasma, urine and bile 670(1995)369
Bradbury, E.M., see Gurley, L.R. 670(1995)125
Büchsler, U., see Hammes, W. 670(1995)81
Carbone, V., see Sannolo, N. 670(1995)349
Carroll, J.I., see Heath, T.G. 670(1995)91
Celentano, G., see Stradi, R. 670(1995)337
Chambon, C., see Bourrinet, P. 670(1995)369
Chang, J., see Heath, T.G. 670(1995)91
Charles, B.G., see Preechagoon, Y. 670(1995)139
Chiba, T., see Ito, T. 670(1995)317
Christensen, E.B., Hansen, S.H. and Rasmussen, S.N.
Assay of tocainide enantiomers in plasma by solid-phase extraction and indirect chiral high-performance liquid chromatography after derivatization with (−)-menthyl chloroformate 670(1995)243
Cirimele, V., see Kintz, P. 670(1995)162
Cotgreave, I.A., see Luo, J.-L. 670(1995)29
Curtis, M.A., see Walters, D.L. 670(1995)299
Deguchi, T., see Suzawa, Y. 670(1995)152
Dencausse, A., see Bourrinet, P. 670(1995)369
Deng, Y., Maruyama, W., Dostert, P., Takahashi, T., Kawai, M. and Naoi, M.
Determination of the (*R*)- and (*S*)-enantiomers of salsolinol and N-methylsalsolinol by use of a chiral high-performance liquid chromatographic column 670(1995)47
Denizli, A. and Pişkin, E.
Heparin-immobilized polyhydroxyethylmethacrylate microbeads for cholesterol removal: a preliminary report 670(1995)157
Dooley, K.L., see Hansen, Jr., E.B. 670(1995)259
Dostert, P., see Deng, Y. 670(1995)47
Drozd, M.L., Lockwood, G., Miller, B. and Rosi, D.
A column-switching high-performance liquid chromatographic assay for a novel cytotoxic thioxanthone derivative (WIN 33377) in mouse plasma with toxicokinetic results from a mouse LD_{10} study 670(1995)145
Dzerk, A., see Lee, J.W. 670(1995)287
Englert, G., see Khachik, F. 670(1995)219
Esteve-Romero, J.S., see Simó-Alfonso, E.F. 670(1995)183
Farrán, R., see García-Encina, G. 670(1995)103
Feldman, H., see Bourrinet, P. 670(1995)369
Fenske, M.
Rapid and efficient method for extraction and separation of glucocorticosteroids and sex steroids from urines 670(1995)373
Ferranti, P., see Sannolo, N. 670(1995)349
Fiume, I., see Sannolo, N. 670(1995)349
Frantzen, F., Grimsrud, K., Heggli, D.-E. and Sundrehagen, E.
Protein–boronic acid conjugates and their binding to low-molecular-mass *cis*-diols and glycated hemoglobin 670(1995)37
Freeman, S.G., see Karle, J.M. 670(1995)251
Fujiwara, Y., see Sumiyoshi, H. 670(1995)309
Furuno, K., see Yamashita, S. 670(1995)354
García-Alvarez-Coque, M.C., see Simó-Alfonso, E.F. 670(1995)183
García-Encina, G., Farrán, R., Puig, S., Serafini, M.T. and Martínez, L.
Automated high-performance liquid chromatographic assay for lesopitron, a novel anxiolytic, in human plasma using on-line solid-phase extraction 670(1995)103
Geiger, P.G., see Korytowski, W. 670(1995)189
Girotti, A.W., see Korytowski, W. 670(1995)189
Gitzen, J., see Huang, T. 670(1995)323
Gomita, Y., see Yamashita, S. 670(1995)354
Green, S.V., see Walters, D.L. 670(1995)299
Grimsrud, K., see Frantzen, F. 670(1995)37
Gupta, R.C., see Singh, S.K. 670(1995)173
Gurley, B.J., Marx, M. and Olsen, K.
Phenytoin free fraction determination: comparison of an improved direct serum injection high-performance liquid chromatographic method to ultrafiltration coupled with fluorescence polarization immunoassay 670(1995)358
Gurley, L.R., Umbarger, K.O., Kim, J.M., Bradbury, E.M. and Lehnert, B.E.
Development of a high-performance liquid chromatographic method for the analysis of staurosporine 670(1995)125
Hammarqvist, F., see Luo, J.-L. 670(1995)29
Hammes, B., see Hammes, W. 670(1995)81
Hammes, W., Hammes, B., Büchsler, U., Paar, F. and Bökens, H.
Simultaneous determination of moexipril and moexiprilat, its active metabolite, in human plasma by gas chromatography–negative-ion chemical ionization mass spectrometry 670(1995)81
Hans, B., see Rickling, B. 670(1995)267
Hansen, Jr., E.B., Dooley, K.L. and Thompson, Jr., H.C.
High-performance liquid chromatographic analysis of the antituberculosis drugs aconiazide and isoniazid 670(1995)259
Hansen, S.H., see Christensen, E.B. 670(1995)243
Harada, M., see Suzawa, Y. 670(1995)152
Harker, A.J., see Stubbs, R.J. 670(1995)279

Author Index Vol. 670

Akiyama, T., see Yamazaki, T. 670(1995)328
Amatdjais-Groenen, H., see Vree, T.B. 670(1995)111
Andersson, K., see Luo, J.-L. 670(1995)29
Baars, A.M., see Vree, T.B. 670(1995)111
Beecher, G.R., see Khachik, F. 670(1995)219
Blanchard, J., see Surendran, N. 670(1995)235
Bökens, H., see Hammes, W. 670(1995)81
Bonnemain, B., see Bourrinet, P. 670(1995)369
Bourrinet, P., Feldman, H., Dencausse, A., Chambon, C. and Bonnemain, B.
High-performance liquid chromatographic determination of iobitridol in plasma, urine and bile 670(1995)369
Bradbury, E.M., see Gurley, L.R. 670(1995)125
Büchsler, U., see Hammes, W. 670(1995)81
Carbone, V., see Sannolo, N. 670(1995)349
Carroll, J.I., see Heath, T.G. 670(1995)91
Celentano, G., see Stradi, R. 670(1995)337
Chambon, C., see Bourrinet, P. 670(1995)369
Chang, J., see Heath, T.G. 670(1995)91
Charles, B.G., see Preechagoon, Y. 670(1995)139
Chiba, T., see Ito, T. 670(1995)317
Christensen, E.B., Hansen, S.H. and Rasmussen, S.N.
Assay of tocainide enantiomers in plasma by solid-phase extraction and indirect chiral high-performance liquid chromatography after derivatization with (−)-menthyl chloroformate 670(1995)243
Cirimele, V., see Kintz, P. 670(1995)162
Cotgreave, I.A., see Luo, J.-L. 670(1995)29
Curtis, M.A., see Walters, D.L. 670(1995)299
Deguchi, T., see Suzawa, Y. 670(1995)152
Dencausse, A., see Bourrinet, P. 670(1995)369
Deng, Y., Maruyama, W., Dostert, P., Takahashi, T., Kawai, M. and Naoi, M.
Determination of the (*R*)- and (*S*)-enantiomers of salsolinol and N-methylsalsolinol by use of a chiral high-performance liquid chromatographic column 670(1995)47
Denizli, A. and Pişkin, E.
Heparin-immobilized polyhydroxyethylmethacrylate microbeads for cholesterol removal: a preliminary report 670(1995)157
Dooley, K.L., see Hansen, Jr., E.B. 670(1995)259
Dostert, P., see Deng, Y. 670(1995)47
Drozd, M.L., Lockwood, G., Miller, B. and Rosi, D.
A column-switching high-performance liquid chromatographic assay for a novel cytotoxic thioxanthone derivative (WIN 33377) in mouse plasma with toxicokinetic results from a mouse LD_{10} study 670(1995)145
Dzerk, A., see Lee, J.W. 670(1995)287
Englert, G., see Khachik, F. 670(1995)219
Esteve-Romero, J.S., see Simó-Alfonso, E.F. 670(1995)183
Farrán, R., see García-Encina, G. 670(1995)103
Feldman, H., see Bourrinet, P. 670(1995)369
Fenske, M.
Rapid and efficient method for extraction and separation of glucocorticosteroids and sex steroids from urines 670(1995)373
Ferranti, P., see Sannolo, N. 670(1995)349
Fiume, I., see Sannolo, N. 670(1995)349
Frantzen, F., Grimsrud, K., Heggli, D.-E. and Sundrehagen, E.
Protein–boronic acid conjugates and their binding to low-molecular-mass *cis*-diols and glycated hemoglobin 670(1995)37
Freeman, S.G., see Karle, J.M. 670(1995)251
Fujiwara, Y., see Sumiyoshi, H. 670(1995)309
Furuno, K., see Yamashita, S. 670(1995)354
García-Alvarez-Coque, M.C., see Simó-Alfonso, E.F. 670(1995)183
García-Encina, G., Farrán, R., Puig, S., Serafini, M.T. and Martínez, L.
Automated high-performance liquid chromatographic assay for lesopitron, a novel anxiolytic, in human plasma using on-line solid-phase extraction 670(1995)103
Geiger, P.G., see Korytowski, W. 670(1995)189
Girotti, A.W., see Korytowski, W. 670(1995)189
Gitzen, J., see Huang, T. 670(1995)323
Gomita, Y., see Yamashita, S. 670(1995)354
Green, S.V., see Walters, D.L. 670(1995)299
Grimsrud, K., see Frantzen, F. 670(1995)37
Gupta, R.C., see Singh, S.K. 670(1995)173
Gurley, B.J., Marx, M. and Olsen, K.
Phenytoin free fraction determination: comparison of an improved direct serum injection high-performance liquid chromatographic method to ultrafiltration coupled with fluorescence polarization immunoassay 670(1995)358
Gurley, L.R., Umbarger, K.O., Kim, J.M., Bradbury, E.M. and Lehnert, B.E.
Development of a high-performance liquid chromatographic method for the analysis of staurosporine 670(1995)125
Hammarqvist, F., see Luo, J.-L. 670(1995)29
Hammes, B., see Hammes, W. 670(1995)81
Hammes, W., Hammes, B., Büchsler, U., Paar, F. and Bökens, H.
Simultaneous determination of moexipril and moexiprilat, its active metabolite, in human plasma by gas chromatography–negative-ion chemical ionization mass spectrometry 670(1995)81
Hans, B., see Rickling, B. 670(1995)267
Hansen, Jr., E.B., Dooley, K.L. and Thompson, Jr., H.C.
High-performance liquid chromatographic analysis of the antituberculosis drugs aconiazide and isoniazid 670(1995)259
Hansen, S.H., see Christensen, E.B. 670(1995)243
Harada, M., see Suzawa, Y. 670(1995)152
Harker, A.J., see Stubbs, R.J. 670(1995)279

Heath, T.G., Massad, D.D., Carroll, J.I., Mathews, B.S., Chang, J., Scott, D.O., Kuo, B.-S. and Toren, P.C.
Quantification of a dual angiotensin I-converting enzyme–neutral endopeptidase inhibitor and the active thiol metabolite in dog plasma by high-performance liquid chromatography with ultraviolet absorbance detection 670(1995)91
Heggli, D.-E., see Frantzen, F. 670(1995)37
Heller, A., see Huang, T. 670(1995)323
Hiraoka, B.Y., see Suzawa, Y. 670(1995)152
Huang, T., Yang, L., Gitzen, J., Kissinger, P.T., Vreeke, M. and Heller, A.
Detection of basal acetylcholine in rat brain microdialysate 670(1995)323
Hurlbut, J.A., see Turnipseed, S.B. 670(1995)55
Isselhard, W., see Minor, T. 670(1995)332
Ito, T., Kidouchi, K., Sugiyama, N., Kajita, M., Chiba, T., Niwa, T. and Wada, Y.
Liquid chromatographic–atmospheric pressure chemical ionization mass spectrometric analysis of glycine conjugates and urinary isovalerylglycine in isovaleric acidemia 670(1995)317
Itoh, M., see Suzuki, K.T. 670(1995)63
Jensen, T.B. and Marley, P.D.
Development of an assay for histamine using automated high-performance liquid chromatography with electrochemical detection 670(1995)199
Johnson, T., see Lee, J.W. 670(1995)287
Johnston, J.J., Petty, E.E., Okuno, I. and Nolte, D.L.
Comparison of reversed-phase and ion-pair chromatography for the determination of strychnine in animal tissues 670(1995)73
July, N., see Minor, T. 670(1995)332
Kajita, M., see Ito, T. 670(1995)317
Karle, J.M., Olmeda, R., Freeman, S.G. and Schroeder, A.C.
Quantification of the individual enantiomer plasma concentrations of the candidate antimalarial agent N^4-[2,6-dimethoxy-4-methyl-5-[(3-trifluoromethyl)phenoxy]-8-quinolinyl]-1,4-pentanediamine (WR 238,605) 670(1995)251
Kawai, M., see Deng, Y. 670(1995)47
Kawasaki, H., see Yamashita, S. 670(1995)354
Khachik, F., Englert, G., Beecher, G.R. and Smith, Jr., J.C.
Isolation, structural elucidation, and partial synthesis of lutein dehydration products in extracts from human plasma 670(1995)219
Kidouchi, K., see Ito, T. 670(1995)317
Kidouchi, K., see Sumi, S. 670(1995)376
Kim, J.M., see Gurley, L.R. 670(1995)125
Kintz, P., Cirimele, V., Tracqui, A. and Mangin, P.
Simultaneous determination of amphetamine, methamphetamine, 3,4-methylenedioxyamphetamine and 3,4-methylenedioxymethamphetamine in human hair by gas chromatography–mass spectrometry 670(1995)162
Kissinger, P.T., see Huang, T. 670(1995)323
Kissinger, P.T., see Niwa, O. 670(1995)21
Klar, E., see Minor, T. 670(1995)332
Korytowski, W., Geiger, P.G. and Girotti, A.W.
High-performance liquid chromatography with mercury cathode electrochemical detection: application to lipid hydroperoxide analysis 670(1995)189
Kramarczyk, R., see Rickling, B. 670(1995)267
Kraus, T.W., see Minor, T. 670(1995)332
Krumbiegel, G., see Rickling, B. 670(1995)267
Kuo, B.-S., see Heath, T.G. 670(1995)91
Larsson, L., see Mielniczuk, Z. 670(1995)167
Lee, J.W., Naidong, W., Johnson, T., Dzerk, A., Miyabayashi, T. and Motohashi, M.
Development and validation of column-switching high-performance liquid chromatographic methods for the determination of a potent AII receptor antagonist, TCV-116, and its metabolites in human serum and urine 670(1995)287
Lehnert, B.E., see Gurley, L.R. 670(1995)125
Lind, C., see Luo, J.-L. 670(1995)29
Lockwood, G., see Drozd, M.L. 670(1995)145
Long, A.R., see Turnipseed, S.B. 670(1995)55
Luo, J.-L., Hammarqvist, F., Cotgreave, I.A., Lind, C., Andersson, K. and Wernerman, J.
Determination of intracellular glutathione in human skeletal muscle by reversed-phase high-performance liquid chromatography 670(1995)29
MacCrehan, W.A. and Schönberger, E.
Determination of vitamin K_1 in serum using catalytic-reduction liquid chromatography with fluorescence detection 670(1995)209
Malave, A.. see Rathinavelu, A. 670(1995)177
Malorni, A., see Sannolo, N. 670(1995)349
Mamone, G., see Sannolo, N. 670(1995)349
Mangin, P., see Kintz, P. 670(1995)162
Marley, P.D., see Jensen, T.B. 670(1995)199
Martínez, L., see García-Encina, G. 670(1995)103
Maruyama, W., see Deng, Y. 670(1995)47
Marx, M., see Gurley, B.J. 670(1995)358
Massad, D.D., see Heath, T.G. 670(1995)91
Mathews, B.S., see Heath, T.G. 670(1995)91
Matsuoka, M., see Okumura, T. 670(1995)11
Mielniczuk, E., see Mielniczuk, Z. 670(1995)167
Mielniczuk, Z., Mielniczuk, E. and Larsson, L.
Determination of muramic acid in organic dust by gas chromatography–mass spectrometry 670(1995)167
Miller, B., see Drozd, M.L. 670(1995)145
Minor, T., Osswald, B., Kraus, T.W., July, N., Isselhard, W. and Klar, E.
Determination of plasma activities of purine nucleoside phosphorylase by high-performance liquid chromatography: estimates of nonparenchymal cell injury after porcine liver transplantation 670(1995)332
Miyabayashi, T., see Lee, J.W. 670(1995)287
Morgan, Jr., L.R., see Rodgers, A.H. 670(1995)365
Motohashi, M., see Lee, J.W. 670(1995)287
Murata, A., see Murata, K. 670(1995)3
Murata, K., Murata, A. and Yoshida, K.
High-performance liquid chromatographic identification of eight constitutional disaccharides from heparan sulfate isomers digested with heparitinases 670(1995)3
Naidong, W., see Lee, J.W. 670(1995)287

Nakajima, Y., see Okumura, T. 670(1995)11
Naoi, M., see Deng, Y. 670(1995)47
Nava, D., see Stradi, R. 670(1995)337
Niwa, O., Tabei, H., Solomon, B.P., Xie, F. and Kissinger, P.T.
Improved detection limit for catecholamines using liquid chromatography–electrochemistry with a carbon interdigitated array microelectrode 670(1995)21
Niwa, T., see Ito, T. 670(1995)317
Nolte, D.L., see Johnston, J.J. 670(1995)73
Ohba, S., see Sumi, S. 670(1995)376
Ohmichi, M., see Suzuki, K.T. 670(1995)63
Ohtahara, S., see Yamashita, S. 670(1995)354
Ohune, T., see Sumiyoshi, H. 670(1995)309
Okumura, T., Nakajima, Y., Takamatsu, T. and Matsuoka, M.
Column-switching high-performance liquid chromatographic system with a laser-induced fluorimetric detector for direct, automated assay of salivary cortisol 670(1995)11
Okuno, I., see Johnston, J.J. 670(1995)73
Olmeda, R., see Karle, J.M. 670(1995)251
Olsen, K., see Gurley, B.J. 670(1995)358
Osswald, B., see Minor, T. 670(1995)332
Paar, F., see Hammes, W. 670(1995)81
Petty, E.E., see Johnston, J.J. 670(1995)73
Pişkin, E., see Denizli, A. 670(1995)157
Preechagoon, Y. and Charles, B.G.
Analysis of cisapride in neonatal plasma using high-performance liquid chromatography with a base-stable column and fluorescence detection 670(1995)139
Puig, S., see García-Encina, G. 670(1995)103
Ramis-Ramos, G., see Simó-Alfonso, E.F. 670(1995)183
Rasmussen, S.N., see Christensen, E.B. 670(1995)243
Rathinavelu, A. and Malave, A.
High-performance liquid chromatography using electrochemical detection for the determination of prazosin in biological samples 670(1995)177
Rickling, B., Hans, B., Kramarczyk, R., Krumbiegel, G. and Weyhenmeyer, R.
Two high-performance liquid chromatographic assays for the determination of free and total silibinin diastereomers in plasma using column switching with electrochemical detection and reversed-phase chromatography with ultraviolet detection 670(1995)267
Rodgers, A.H., Subramanian, S. and Morgan, Jr., L.R.
High-performance liquid chromatographic determination of 4,4′-dihydroxybenzophenone-2,4-dinitrophenylhydrazone in plasma 670(1995)365
Rosi, D., see Drozd, M.L. 670(1995)145
Roybal, J.E., see Turnipseed, S.B. 670(1995)55
Rupp, H.S., see Turnipseed, S.B. 670(1995)55
Sannolo, N., Carbone, V., Ferranti, P., Fiume, I., Mamone, G. and Malorni, A.
Mass spectrometric analysis of haemoglobin adducts formed by methyl bromide in vitro 670(1995)349
Schönberger, E., see MacCrehan, W.A. 670(1995)209
Schoondermark-van de Ven, E., see Vree, T.B. 670(1995)111
Schroeder, A.C., see Karle, J.M. 670(1995)251
Scott, D.O., see Heath, T.G. 670(1995)91
Serafini, M.T., see García-Encina, G. 670(1995)103
Shindo, T., see Yamazaki, T. 670(1995)328
Simó-Alfonso, E.F., Ramis-Ramos, G., García-Alvarez-Coque, M.C. and Esteve-Romero, J.S.
Determination of sulphonamides in human urine by azo dye precolumn derivatization and micellar liquid chromatography 670(1995)183
Singh, S.K., Verma, N. and Gupta, R.C.
Sensitive high-performance liquid chromatographic assay method for the determination of guggulsterone in serum 670(1995)173
Smith, Jr., J.C., see Khachik, F. 670(1995)219
Solomon, B.P., see Niwa, O. 670(1995)21
Sterling, E.J., see Surendran, N. 670(1995)235
Stradi, R., Celentano, G. and Nava, D.
Separation and identification of carotenoids in bird's plumage by high-performance liquid chromatography–diode-array detection 670(1995)337
Strong, C.R., see Walters, D.L. 670(1995)299
Stubbs, R.J. and Harker, A.J.
Automated high-performance liquid chromatographic method for the determination of a neuraminidase inhibitor (GG167) in human serum by pre-column fluorescence derivatisation using benzoin 670(1995)279
Subramanian, S., see Rodgers, A.H. 670(1995)365
Sugiyama, N., see Ito, T. 670(1995)317
Sumi, S., Kidouchi, K., Ohba, S. and Wada, Y.
Automated determination of hypoxanthine and xanthine in urine by high-performance liquid chromatography with column switching 670(1995)376
Sumiyoshi, H., Fujiwara, Y., Ohune, T., Yamaoka, N., Tamura, K. and Yamakido, M.
High-performance liquid chromatographic determination of irinotecan (CPT-11) and its active metabolite (SN-38) in human plasma 670(1995)309
Sundrehagen, E., see Frantzen, F. 670(1995)37
Surendran, N., Ugwu, S.O., Sterling, E.J. and Blanchard, J.
High-performance liquid chromatographic assay for Melanotan-1 ([Nle^4-$DPhe^7$]α-melanocyte-stimulating hormone) in biological matrices 670(1995)235
Suzawa, Y., Hiraoka, B.Y., Harada, M. and Deguchi, T.
High-performance liquid chromatographic determination of prolylcarboxypeptidase activity in monkey kidney 670(1995)152
Suzuki, K.T., Yoneda, S., Itoh, M. and Ohmichi, M.
Enriched stable isotopes of elements used as tracers: methods of presenting high-performance liquid chromatographic–inductively coupled argon plasma mass spectrometric data 670(1995)63
Swolfs, A., see Vree, T.B. 670(1995)111
Tabei, H., see Niwa, O. 670(1995)21
Takahashi, T., see Deng, Y. 670(1995)47
Takamatsu, T., see Okumura, T. 670(1995)11
Tamura, K., see Sumiyoshi, H. 670(1995)309
Thompson, Jr., H.C., see Hansen Jr, E.B. 670(1995)259
Toren, P.C., see Heath, T.G. 670(1995)91
Tracqui, A., see Kintz, P. 670(1995)162

Turnipseed, S.B., Roybal, J.E., Rupp, H.S., Hurlbut, J.A. and Long, A.R.
Particle beam liquid chromatography–mass spectrometry of triphenylmethane dyes: application to confirmation of malachite green in incurred catfish tissue 670(1995)55
Ugwu, S.O., see Surendran, N. 670(1995)235
Umbarger, K.O., see Gurley, L.R. 670(1995)125
Van Galen, P.M., see Vree, T.B. 670(1995)111
Verma, N., see Singh, S.K. 670(1995)173
Verwey-van Wissen, C.P.W.G.M., see Vree, T.B. 670(1995)111
Vree, T.B., Schoondermark-van de Ven, E., Verwey-van Wissen, C.P.W.G.M., Baars, A.M., Swolfs, A., Van Galen, P.M. and Amatdjais-Groenen, H.
Isolation, identification and determination of sulfadiazine and its hydroxy metabolites and conjugates from man and Rhesus monkey by high-performance liquid chromatography 670(1995)111
Vreeke, M., see Huang, T. 670(1995)323
Wada, Y., see Ito, T. 670(1995)317
Wada, Y., see Sumi, S. 670(1995)376
Walters, D.L., Strong, C.R., Green, S.V. and Curtis, M.A.
Development and validation of a gradient reversed-phase high-performance liquid chromatographic assay for *S*(−)-2-(N-propyl-N-2-thienylethylamino)-5-hydroxytetralin (N-0923) from a transdermal delivery system 670(1995)299
Wernerman, J., see Luo, J.-L. 670(1995)29
Weyhenmeyer, R., see Rickling, B. 670(1995)267
Xie, F., see Niwa, O. 670(1995)21
Yamakido, M., see Sumiyoshi, H. 670(1995)309
Yamaoka, N., see Sumiyoshi, H. 670(1995)309
Yamashita, S., Furuno, K., Kawasaki, H., Gomita, Y., Yoshinaga, H., Yamatogi, Y. and Ohtahara, S.
Simple and rapid analysis of lamotrigine, a novel antiepileptic, in human serum by high-performance liquid chromatography using a solid-phase extraction technique 670(1995)354
Yamatogi, Y., see Yamashita, S. 670(1995)354
Yamazaki, T., Akiyama, T. and Shindo, T.
Routine high-performance liquid chromatographic determination of myocardial interstitial norepinephrine 670(1995)328
Yang, L., see Huang, T. 670(1995)323
Yoneda, S., see Suzuki, K.T. 670(1995)63
Yoshida, K., see Murata, K. 670(1995)3
Yoshinaga, H., see Yamashita, S. 670(1995)354